

Claim Amendments

Claim 1 (currently amended): An apparatus for establishing circuits in an ATM network comprising:

D a controller for which a user specifies which requirements can be changed, in what order, and by how much for every quality of service requirement of a UPC of a circuit for which there is an entity in the UPC associated with the circuit ~~which requirements can be changed, in what order, and by how much~~ which attempts to establish the circuit according to original quality of service requirements of the UPC associated with the circuit, which determines available resources of the ATM network and which automatically relaxes the original quality of service requirements associated with a circuit for the circuit to be formed in the ATM network with the available resources of the ATM network; and

a memory which stores a plurality of different quality of service requirements, said memory connected to the controller for the controller to obtain different quality of service requirements for the controller to automatically relax the original quality of service requirements with different quality of service requirements, the memory includes an index having the different quality of service requirements ordered in terms of priority for the

controller to choose when the controller relaxes the original quality of service requirements
and attempts to establish the circuit.

Claim 2 (previously presented): An apparatus as described in Claim 17 wherein the controller automatically selectively relaxes the quality of service requirements by choosing a different quality of service requirement.

~~Claim 3 (canceled)~~

Claim 4 (currently ~~amended~~): An apparatus as described in Claim ~~[[3]]~~ 2 wherein the controller places a flag in the memory for the circuit when the circuit is established with relaxed quality of service requirements.

Claim 5 (original): An apparatus as described in Claim 4 wherein the controller periodically reexamines the ATM network resources and attempts to establish the circuit with the original quality of service requirements in the ATM network.

Claim 6 (original): An apparatus as described in Claim 5 wherein when the controller attempts to establish the circuit with the original quality of service requirements, if the original quality of service requirements of the circuit cannot be satisfied, the controller

attempts to establish the circuit with the quality of service requirements in the index according to their priority until quality of service requirements with a higher priority than the quality of service requirement that the circuit is currently established under in the network is found.

Claim 7 (original): An apparatus as described in Claim 6 wherein the circuit is an SPVx circuit.

Claim 8 (~~currently~~ amended): A method for establishing circuits in an ATM network comprising the steps of:

specifying by a user which requirements can be changed, in what order, and by how much, for every quality of service requirement of a UPC of a circuit for which there is an entity in the UPC associated with the circuit ~~which requirements can be changed, in what order, and by how much~~;

placing the different quality of service requirements in an index, each with a priority relative to each other and the original quality of service requirements;

attempting to form a connection in an ATM network satisfying original quality of service requirements of the UPC associated with the circuits;

rejecting the formation of the circuit due to resources of the ATM network not being available to meet the original quality of service requirements of the circuit;

relaxing automatically the quality of service requirements of the circuit by choosing the different quality of service requirements by a controller from the index having the plurality in terms of different quality of service requirements ordered in terms of priority stored in a memory connected to the controller; and

creating the circuit in the ATM network subject to the relaxed quality of service requirements.

Claim 9 (previously presented): A method as described in Claim 16 wherein the relaxing step includes the step of relaxing automatically and selectively the original quality of service requirements by choosing different quality of service requirements than the original quality of service requirements.

Claims ~~10~~ and ~~11~~ (canceled)

Claim 12 (currently ~~amended~~): A method as described in Claim ~~[[11]]~~ 2 including after the recreating step, there is the step of placing a flag in the memory by the

controller corresponding with the circuit that is established with relaxed quality of service requirements.

Claim 13 (original): A method as described in Claim 12 including after the creating step, there are the steps of re-examining the ATM network resources and attempting to establish the circuit with the original quality of service requirements in the ATM network.

Claim 14 (original): A method as described in Claim 13 including after the attempting to establish step, there is the step of attempting to establish the circuit with the different quality of service requirements in the index according to their priority until different quality of service requirements with a higher priority than the quality of service requirements that the circuit is currently established under in the network is found.

Claim 15 (previously presented): A method as described in Claim 14 wherein the attempting step includes the step of attempting to form the connection of an SPVx circuit.

Claim 16 (previously presented): A method as described in Claim 8 wherein the specifying step includes the step of specifying that the requirements of PCR, SCR and MBS can be changed.

Claim 17 (previously presented): An apparatus as described in Claim 1 wherein the requirements of PCR, SCR and MRS can be changed.
